



European Centre for Aerosol Calibration
Administrating Office
Leibniz Institute for Tropospheric Research
Permoserstr. 15
04318 Leipzig

Kasper-Giebl, Anne
TU-Wien
Getreidemarkt 9/164-02-2, 1060 Wien,
Austria

TNA – ECAC Confirmation of Intercomparison/Calibration

We confirm that in the context of ACTRIS Transnational Access the following inter-comparison was performed at the **European Center for Aerosol Calibration (ECAC)**:

Project number: **OCEC-2021-1**

Inter-comparison/Calibration date: **March 2021**

- ☒ Instrument: **Sunset Lab OCEC analyser** (Model 4L, Serial No 241-45)
☐ Laboratory: *(institute)*

The Inter-comparison/Calibration was:

- ☒ **Successful**
☐ Unsuccessful
☐ Another calibration is recommended (see calibration report).
The PI has to submit a new TNA application.

Statistics for data submission to EBAS

Statistics	QA_bias %	QA_variability %	Systematic
TC	-6.5%	4.2%	low
OC	-8.3%	4.4%	low
EC	6.2%	15.0%	high

Number of RWD (Researcher Working Days) : 3

Ispira, 09.06.2021

p.p. J.P. Putaud

Signature

Head of ERLAP, or ACMCC